

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
15 February 2001 (15.02.2001)

PCT

(10) International Publication Number  
**WO 01/10523 A1**

(51) International Patent Classification<sup>7</sup>: A63F 13/00

(21) International Application Number: PCT/AU00/00948

(22) International Filing Date: 9 August 2000 (09.08.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
43453/99 9 August 1999 (09.08.1999) AU

(71) Applicant (for all designated States except US): NEUR-  
IZON PTY LTD [AU/AU]; Suite 4, 23 Overlord Place,  
Acacia Ridge, QLD 4110 (AU).

(72) Inventor; and

(75) Inventor/Applicant (for US only): JOHNSON, Steven,  
Brian [AU/AU]; Suite 4, 23 Overlord Place, Acacia Ridge,  
QLD 4110 (AU).

(74) Agent: CULLEN & CO.; Level 26, 239 George Street,  
Brisbane, QLD 4000 (AU).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— With international search report.

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: PRIZE AWARDING SYSTEM



(57) Abstract: Periodic prize draws are conducted by a jackpot controller (13) in a gaming system having one or more electronic gaming devices (10). The probability of each electronic gaming device winning a particular prize draw is dependent upon the amount wagered on that gaming machine during a period preceding that prize draw. The prize may be a progressive jackpot which comprises an initial starting value and a contribution from the amounts wagered on the electronic gaming devices. If an electronic gaming device wins a prize draw, its player may be granted a feature game to determine the actual prize. Jackpots are suspended pending the completion of the feature game. The probability that a gaming device will win the prize draw, or the relative win probabilities of the gaming devices, may be displayed graphically.

WO 01/10523 A1

## PRIZE AWARDING SYSTEM

This invention relates to a prize awarding system. In particular, the invention is directed to method and apparatus for awarding a prize to players of gaming machines, wherein the probability that the player of a gaming machine will win the prize is dependent upon the amount bet on that gaming machine during an elapsed period.

## BACKGROUND ART

An electronic gaming device (EGD), such as a poker machine, provides its player with the opportunity to win cash or other prizes. To entice more persons to play EGDs and/or to render them more exciting, it is known to link EGDs electronically in a network, with each EGD contributing a proportion of its turnover to a pooled jackpot. The EGDs in a network may be located on one site, or spread over several remote sites. Since a larger number of EGDs contribute to the jackpot, the jackpot can have a higher value and/or be won more often than single machine jackpots.

In a typical progressive linked jackpot system, one or more EGDs contribute a percentage of turnover to a pool (either on a local or external network). Each time an EGD is played, it tests for a particular winning combination. If that combination is achieved, the EGD is awarded the pool. A key aspect of this arrangement is that each game played has the same probability of a jackpot win.

This arrangement has traditionally been used by casinos but its popularity is diminishing due to the introduction of EGDs featuring multiple line and multiple credits per line wagering options. If a player elects to play multiple credits per line, the win probability would no longer be proportional to the wager. That is, the win probability would be the same regardless of the number of credits wagered on the line. This is considered a major disincentive to wagering multiple credits per line. This arrangement also requires the EGD to provide special software which tests for the winning combination. Further, it is difficult to link EGDs of differing base denominations to the same progressive jackpot pool.

Another type of jackpot system is described in Australian patent no. 655801. In this type of jackpot system, one or more EGDs are typically

connected to an external Random Jackpot Controller (RJC) via a data network. As each game is played, the RJC adds a proportion of each wager to the external pool. The RJC initially seeds the pool with a starting value. The RJC then selects a random number between the starting value and a predetermined maximum value. As each EGD is played, each EGD informs the RJC of the credits bet and a proportion of the wager is added to the pool. The value of the pool is then compared with the selected random number. If there is a match, the RJC awards the current pool value to that EGD. This arrangement is usually configured to provide relatively small but frequent awards, and has the inherent characteristic that the probability of a win on each EGD increases as the pool increases toward the maximum limit.

However, since the win probability increases as the pool increases towards its predetermined maximum limit, a player playing just after the pool is reset has a lower jackpot win probability than a player playing at a later time when the pool is greater, even though both players may be wagering the same amount. For this reason, this arrangement is generally considered unfair and deterministic. The deterministic nature of this jackpot system has led some gaming authorities to prohibit the inclusion of the pool contributions into the "Return to Player Percentage" (RTP) for taxation calculation purposes, which diminishes the financial appeal of this jackpot system to gaming machine operators.

Yet another type of jackpot system is described in international patent application no. PCT/AU98/00525. In that jackpot arrangement, one or more EGDs are typically connected to an External Feature Game Controller (EFGC) via a communications network. Each EGD informs the EFGC of credits bet and a proportion of the credits bet is added to the external jackpot pool. This pool is typically seeded with a starting value.

As each game is played (and only when a game is played), the EGD tests for the occurrence of a random "win" event whose probability is a function of the credits bet *on that particular game*. If the EGD detects the random event, the EFGC is informed. The EGD then typically enters a feature game where the winning amount is determined. The EFGC is informed of the win and in some cases will transmit the value of the win to the EGD's credit

meter. In other cases, the EGD will be locked up until the jackpot is paid manually by an attendant. The greater the wager per game the greater is the probability of a win on that game.

A disadvantage of this arrangement is that it is not easily applied  
5 to an existing EGD installation. Each EGD must be fitted with special software with a means of determining and detecting the random event *per game*. Alternatively, a communications-based Central Feature Game Controller (CFGC) may theoretically be employed which has a means of determining and testing for the random event per game on behalf of each EGD, based on  
10 the credits bet on each game.

Many jurisdictions have mandated the use of specialised communications networks designed to collect EGD data and to provide a means of external control over the EGDs. Some operators of these networks have implemented their own jackpot awarding systems utilising these  
15 networks. These networks however, cannot guarantee that each EGD's data will be collected in synchronisation with each EGD's *game cycle*. Further, many of these communications networks do not even support the collection of "credits bet" data from EGDs. In some cases there may be over 6 games played between data collections. If a CFGC utilised these networks for the  
20 collection of the credits bet information for the purpose of centrally determining the random event based on credits bet on each game, there would be a real likelihood that many played games would be missed due to the data collection latency of the communications systems. This would result in those games still contributing to the jackpot pool but with no chance of  
25 winning the prize. This makes it impractical to use credits bet per game as a basis for the determination of the random event on a game-by-game basis in a CFGC acting on behalf of each EGD.

A further problem with this jackpot arrangement is that once an EGD enters its feature game for the purpose of determining the actual prize,  
30 one of the available pools is always going to be awarded regardless of the feature game outcome. There is no technical barrier to a smart player deferring the playing of the feature game to allow the jackpot pool to increase in value. The longer the player waits, the greater the potential pool increase

and the greater the prize. In an extreme example, the player could wait until the feature game is triggered on another contributing EGD, then immediately play the feature game and effectively steal the other player's prize.

It is an object of this invention to provide an improved prize  
5     awarding system for a network of EGDs, which overcomes or ameliorates the  
above described disadvantages or which at least provides a useful  
alternative.

#### SUMMARY OF THE INVENTION

In one broad form, the invention provides a method of awarding  
10     a prize in a gaming system comprising at least one gaming machine,  
characterised in that the probability of each gaming machine winning the prize  
is dependent upon at least some of the amount wagered on that gaming  
machine during an elapsed period.

In the preferred embodiment, prize draws are held periodically.  
15     Prior to each prize draw, the probability of each gaming machine winning that  
draw is calculated.

In another form, the invention provides a gaming system  
comprising  
20     at least one gaming machine;  
control means connected to the gaming machine(s), the control  
means being adapted to conduct a series of prize draws in each of which  
each gaming machine has an opportunity to win a prize on a non-  
deterministic basis; and

means for determining the winning probability of each gaming  
25     machine at each prize draw,

characterised in that the probability of each gaming machine  
winning a prize draw is dependent on at least some of the amount wagered  
on that gaming machine during an elapsed period.

In yet another form, the invention provides a gaming machine  
30     having

means for effecting a prize draw to award a prize on a non-  
deterministic basis, and

means for determining the probability of the gaming machine

winning the prize,

characterised in that the probability of the gaming machine winning the prize is dependent on at least some of the amount wagered on the gaming machine during an elapsed period.

5 Preferably, the probability is related to the total wagered amount recorded during the elapsed period.

The elapsed period is typically a rolling or sliding period of time, preceding each prize draw.

10 Draws may be held at periodic intervals which are shorter than the sliding period of time. In that case, the amount wagered during the period between draws is calculated on a *pro rata* basis from the recorded amount of wagers during the predetermined elapsed period.

The prize may suitably be a cash prize, such as a progressive jackpot.

15 In a further embodiment of the invention, if a gaming machine wins a prize draw, it is awarded a feature game to determine the actual prize or jackpot. All jackpot pools are suspended until the feature game is played.

Advantageously, the probability of a gaming device winning the prize draw, and/or the relative probabilities of the gaming machines winning  
20 the prize draw, are displayed graphically.

The prize awarding system of this invention enables a jackpot or other prize to be awarded on a non-deterministic basis, yet in a fair manner, as the probability that a gaming machine will win the prize depends on the amount of recent betting activity on that gaming machine.

25 In order that the invention may be more fully understood and put into effect, preferred embodiments thereof will now be described with reference to the accompanying drawings.

#### BRIEF DESCRIPTION OF THE DRAWINGS

30 Fig. 1 is a block diagram of a jackpot system for a network of gaming devices.

Fig. 2 is a flow chart for the method of jackpot pool calculation.

Fig. 3 is a flow chart for the method of determining a jackpot win according to one embodiment.

Fig. 4 is a flow chart for the method of calculating jackpot pool and determining jackpot win according to a second embodiment.

#### DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

In one embodiment, illustrated schematically in Fig. 1, a plurality  
5 of Electronic Gaming Devices (EGDs) 10 operating in a modern gaming environment are connected to a communications network 11, typically running over RS485, Fibre Optic, Ethernet, or other suitable data transmission cable. The communications network 11 has an EGD monitoring device 12, such as a site controller or polling front-end processor. The EGD monitoring device will  
10 be referred to as the monitoring system. The monitoring system 12 collects financial and other information from the EGDs. This information is commonly referred to as "meters".

The monitoring system 12 contains a Special Prize Presentation Controller Task which in this embodiment, is a jackpot controller 13 capable  
15 of maintaining one or more jackpot pools. The jackpot controller 13 displays the current value of each jackpot pool on one or more jackpot displays 14. These displays may be remote from the EGDs, either connected to the communications network 11 or to the jackpot controller 13 directly.

The gaming system may optionally include an alternative or  
20 additional jackpot controller 13A with its associated display 6. The EGDs may also have local jackpot displays 15 which may be operated by the jackpot controller(s), via the communication network.

The jackpot controller 13 calculates and manages the jackpot pools from the information provided to it by the monitoring system 12. The  
25 only meter required by the jackpot controller from the monitoring system is the current value of the turnover meter of each EGD. The turnover meter is represented in local base currency units (e.g. cents). The turnover meter usually indicates the *accumulated* turnover, e.g. credits bet, since the EGD was commissioned. The jackpot controller calculates from the received  
30 turnover meter reading, the change in turnover since the last time the turnover meter was read. This is the primary figure used for all jackpot calculations.

For each jackpot, the jackpot controller maintains a prize pool.

This prize pool is a calculated pool, comprising (i) a starting value of the jackpot, and (ii) a proportion, equal to the contribution percentage, of the increased turnover of each EGD contributing to the pool since the last jackpot was won. For example a jackpot pool with a 3% contribution will increase by 3  
5 cents for every dollar wagered on an EGD connected to the jackpot. This pool is normally the prize granted to the winning player when a jackpot is won.

In the jackpot system of this embodiment, the probability of an EGD winning the jackpot is dependent upon the turnover of that EGD over a predetermined elapsed period of time. This period of time is a sliding or rolling  
10 "window" of time prior to each jackpot draw.

Every change in turnover meter recorded for an EGD is stored by the jackpot controller with a timestamp. The timestamp indicates the time that the change in turnover meter was recorded. Each recorded change in turnover meter may contain the turnover from multiple game plays. It is  
15 possible that there may be no change in turnover meter since the last record, in which case a change in turnover meter of zero cents is recorded. Only turnover recorded within the sliding time window or "Record Period" is used for the purposes calculating the probability of a jackpot win.

For example, Table 1 shows the turnover information recorded  
20 for three EGDs for a Record Period equal to the immediately preceding 30-second period. The turnover meters of the EGDs are nominally read approximately once every 10 seconds. The current time for the purpose of the example is 10:29:20. Hence the relevant window of time or Record Period was that period between 10:28:50 and 10:29:20.

25 As shown in Table 1, EGD 1 had its change in turnover meter recorded approximately every 8 Seconds, EGD 2 approximately every 7 Seconds and EGD 3 approximately every 11 Seconds. This variation is due to operational variances across machines such as type, model, vintage, manufacturer and network characteristics.

30 Table 2 shows the changes in turnover meter recorded for the same three EGDs at 10:29:30, i.e. after a further 10 seconds have elapsed. The relevant window of time or Record Period is now that period between 10:29:00 and 10:29:30.



During the further 10 second period, several recorded values aged to a point where they were greater than 30 seconds old, and were therefore discarded. For each EGD one new change in turnover was recorded. The discarded turnover values are shown in Table 3.

5                   It can be seen from the tables that the rolling Record Period allows for variations in operational characteristics by collating all turnover changes during a sliding period. This allows all machines to have a fairer record of activity than individual change in turnover meter figures. Individual turnover figures per EGD may be recorded at varying frequencies. By running  
10 a sliding window any variation in operational characteristics can be normalized.

                  In this embodiment, the method of determining the winner of a jackpot employs a second time window, known as the Draw Period. The Draw Period is the duration between attempts at awarding the jackpot, or in other  
15 words, the duration between opportunities for an EGD to win the jackpot, known as jackpot "draws". To ensure that no turnover change is excluded from the draw processing, the Draw Period can equal, but not exceed the Record Period.

                  The probability that an EGD will win a jackpot draw depends on  
20 a calculated scaling factor. In this embodiment, the scaling factor is based on estimated turnover during the Draw Period which is calculated by taking, for each EGD, the total turnover in the Record Period, and dividing it by the number of Draw Periods per Record Period. (Because a division is involved, any fractional cent of the result is counted as one whole scaling unit). That is,  
25 based on actual turnover during the whole Record Period, an estimated or average turnover is calculated for the Draw Period on a *pro rata* basis. If the turnover is in cents, then the Scaling Factor is the number of cents in the estimated turnover during the Draw Period.

                  For example, using the data from the EGDs above, if the Record  
30 Period is 30 Seconds, and the Draw Period is 10 Seconds, Table 4 shows the calculated Scaling Factor for each EGD for the two draw times given as examples above.

                  The Scaling Factor determines the probability than an EGD will

win the jackpot at a draw time. Namely, each EGD has the same predetermined "base" probability of winning the jackpot, but this is multiplied by the Scaling Factor for that EGD for the relevant draw. Since an EGD can have a varying scaling factor, it also has a varying probability of winning a  
 5 jackpot draw. This probability is given by the formula:

$$\text{EGD Win Probability} = 1 - ((1 - \text{Fixed Base Probability})^{\text{Scaling Factor}}).$$

10 Thus, if the base probability is, say, a 0.0003% chance, the probability of each EGD in Table 4 winning the Jackpot at each of the two draw times is shown in Table 5.

The jackpot draw for each EGD can be conducted by any suitable draw method which has the required overall probability. For example,  
 15 a random number generator can be used for the draw. A fixed number range is defined, and divided into two separate sections, the winning band and the losing band. A random number is generated over the entire range; if it falls within the winning band the draw is won. If it falls outside the winning band into the losing band, the draw is lost. The winning band is a percentage of the  
 20 entire number range, which is equal to the desired win probability.

Thus, if the win probability is 0.1400%, and the number range is, say, 0 to 4294967295, the winning band is all the numbers from 0 to 6012954. The losing band is then 6012955 to 4294967295. When calculating the win band size, because division is involved, all results are rounded up to  
 25 the next whole digit in the range. If the random number generated falls within the winning band and the attempt at awarding the prize succeeds. Otherwise the attempt fails. Table 6 gives the varying win band sizes for the probabilities given in Table 5.

If an EGD wins a draw, the EGD is placed into a winning mode  
 30 and the prize won is advertised on the displays 14, 15. The act of awarding a prize need not necessarily terminate the draw processing and it is possible for another EGD to be selected as a winner in its draw. If there are multiple winners, the prize pool is preferably paid to the first detected winner and all

other winners are awarded the reset or starting value of the pool. Alternatively, the prize pool is apportioned between all the winners.

Table 7 shows the assumptions and configuration options of a typical high win rate, small prize Jackpot Pool.

5 Table 8 gives the operational characteristics of a jackpot so configured, operating as described by this embodiment.

For the embodiment having the parameters and operational characteristics specified in Table 8 and Table 9, a typical sequence of events for the jackpot would be as follows:

10 Referring to the flow chart of Fig. 2, the jackpot is started at its reset or starting value (\$50.00). Players bet credits on the EGDs, and contribute to the accumulated turnover on each EGD. A percentage of the change in turnover meters of all EGDs since the start of the jackpot is added to the jackpot pool such that after 2 hours of play, the Jackpot would be  
15 expected to be worth approximately \$75.00 (\$50.00 + \$25.00 from contributions). Any change in turnover meter for each EGD would be recorded as it is calculated in the sliding 30-second time window. All jackpot pool displays are updated with the new value reflecting added contributions from EGDs in play. When the pool has been won, the prize is awarded to the  
20 winning EGD and the winning state of the EGD is cleared.

In parallel with calculating the current jackpot value, the Jackpot Controller 13 conducts jackpot draws. Referring to Fig. 3, a Draw Period window timer is initialized to produce 10-second timeouts, and is started. As each 10-second draw period elapses, the jackpot controller, starting from the  
25 first EGD, scans progressively through the EGDs calculating the Scaling Factor for each EGD from (i) change in turnover meter of the respective EGD in the Record Period, i.e. the last 30 seconds and (ii) the number of Draw Periods per Record Period, i.e. 3. Each EGD has a jackpot draw. It is to be noted that the timing of the draws is independent of games played on the  
30 EGD. The Scaling Factor is used to determine each EGD's respective probability of winning the jackpot. If the jackpot is won by an EGD, the EGD is placed into a winning state. Each EGD is processed in this manner until all EGDs have been processed.

This process of looking for a winner occurs continuously (every Draw Period) and is independent of the accumulation of the Jackpot Pool. As time since the Jackpot start increases, due to the increasing number of attempts to win the prize, it becomes statistically more likely that the jackpot  
5 will be granted. When the jackpot is won, the prize to be paid is held at the current jackpot value, and a new jackpot prize is started. The Jackpot Controller suspends the winning EGD and the winning amount is advertised on the jackpot display. Once the winning value is verified, it is paid to the player of the winning EGD. Payment is preferably credited electronically  
10 directly to the EGD that won. After the jackpot is granted to a player, it is reset and continues from the starting value (\$50.00).

There are various alternative implementations that achieve the same or similar outcome as the preferred embodiment. For example, the draw could be conducted with a fixed number of attempts, say 10,000 and all  
15 attempts occur every draw. The attempts are apportioned to the EGDs based on their relative turnovers over the Record Period.

Further, the probability of winning the jackpot may be based on only some of the amount wagered in the Record Period, such as the maximum bet on any one game in that period, or the amount wagered in the  
20 Record Period statistically conditioned to remove abnormally small or large bets.

The calculated probability of a jackpot win can be displayed on the EGD displays 15. These displays can include a graphical indicator that informs the player of the chance of winning the Jackpot, based on average  
25 turnover over the Record Period for each EGD. The EGD display may be a rumbling volcano. The higher turnover over time played on the EGD, the fierier the volcano becomes. These displays can be controlled by the jackpot controller so that the volcano erupts on the EGD that wins the prize. Further, a leader board can be shown on an external display 14, that lists the EGDs in  
30 order from highest probability of win to lowest. These displays are designed to enhance player appeal and to create atmosphere for the Linked jackpot Game.

In a second preferred embodiment, when an EGD wins a draw,

the EGD is informed of the win and instructed to enter a second Screen Feature Game for the purpose of determining the Jackpot Prize to be awarded. At this time, all eligible Jackpot pool values on display are suspended, i.e. held at their current values and no longer visibly increment.

5 Preferably, the display then enters a special "About to win a Jackpot Mode" to heighten excitement. Once the player has completed the second screen feature and the jackpot prize has been determined, the winning EGD informs the Jackpot Controller of the claimed prize. The Jackpot Controller then updates all jackpot pools other than the winning jackpot to their current value

10 (using a percentage of all turnover accumulated since the jackpot values were held). The player is awarded the held value of the winning jackpot and the winning jackpot is reset to the starting value, plus a percentage of any turnover accumulated while the jackpot values were held. Preferably, the Jackpot Display will show a Jackpot Win sequence.

15 The jackpot win does not terminate the draw processing and it is possible for another EGD to win. Should there be multiple winners, each EGD will be placed into the second Screen Feature to determine the prize. Once the prize is determined, the EGD wins that prize. If multiple EGDs claim the same prize, the first EGD to claim will receive the full jackpot amount on

20 display. The other EGDs that claim the same prize will win the jackpot reset value.

In a variation of this embodiment, multiple EGDs claiming the same prize simultaneously may share the prize.

A typical sequence of events for this second embodiment is

25 shown in Fig. 4. The jackpots in a group are all reset to their starting values. Players bet credits on the EGDs, and contribute to the accumulated turnover on each EGD. A percentage of the change in turnover since the start of the jackpot is added to the jackpot pool. The change in turnover is recorded in the sliding 30-second time window. All relevant jackpot displays are updated with

30 the new values for each pool. If any EGD wins the pool, the pools are suspended at their current values. The winning EGD is instructed to run a second screen feature game for the purposes of determining the prize to pay. The EGD runs its second screen game as instructed. Once the EGD reports

the outcome of the second Screen Game, the claimed prize is paid to the winning EGD. The winning status of the EGD is cleared. The claimed pool is reset to its starting value and all jackpot pools are released and allowed to update based on turnover. Any turnover contributed while the pools were held  
5 is added into the pools after they are released.

Various modifications can be made to the foregoing without departing from the scope of the invention. For example, each EGD can maintain its own sliding Record Period and Draw Period, independent of any other EGD in the Jackpot Pool. When an EGD determines that it is going to  
10 win, it informs the controller to suspend all jackpots at their current values and presents the second screen feature game to the player automatically. Once the second screen feature game is complete and a prize has been determined, the EGD informs the Jackpot Controller of the determination. The Jackpot Controller then pays the claimed prize to the player and resets it.  
15 It also allows the other jackpot pools to increment again, and adds any contributions from turnover that occurred while the pool was suspended.

In a system where the Jackpot Pools may not be suspended due to limitations in the communications network, the second Screen Feature Game can be equipped with a timeout that forces a determination should the  
20 player not play within a reasonable time frame. This prevents one player effectively robbing some or all of the subsequent jackpot prize from another player by excessively delaying the claim on the prize pool.

The above described embodiments of a prize awarding system have several advantages over the prior art systems, including  
25

- Each eligible player or gaming machine has the opportunity of winning a prize, with the probability of a win being dependent upon the amount of betting activity on that machine over a recent period, and not just the last game. This provides a fairer outcome as machines with a higher average  
30 turnover during that period have a higher win probability than machines with a lower average turnover during the same period even though the latter machines may have had a higher wager on the last game.

- The trigger for a draw is not a function of individual games played on a gaming machine. Rather it is a function of time. Therefore, the prize awarding system may be applied to existing EGDs of differing base denomination, manufacturer or game type without the need for specialised software support from the EGDs. The system can also be operated over existing communication networks and with centralised jackpot systems, including those with high poll latency timings.
- Since the prize awarding is non-deterministic, the prizes can be included in the "return to player percentage" of a gaming system, effectively resulting in higher profitability for the operator of the gaming devices.
- Prize awarding parameters may be changed by the gaming device operator at any time without any alterations to the hardware, firmware or internal parameters of any of the associated EGDs.
- If the awarding of the prize involves a feature game, a fairer outcome is obtained by ensuring that the value of all prize pools is suspended until the completion of the feature game. This prevents players from gaining a financial advantage over subsequent players by delaying the playing of the feature game.

**Table 1 : Recorded Turnover for 30 Seconds**

<b>EGD</b>	<b>Time of Read</b>	<b>Change in Turnover</b>
<b>1</b>	10:29:20	\$4.35
	10:29:12	\$5.15
	10:29:04	\$3.45
	10:28:58	\$1.05
	<b>TOTAL</b>	<b>\$14.00</b>
<b>2</b>	10:29:18	\$0.36
	10:29:11	\$0.59
	10:29:04	\$0.47
	10:28:58	\$0.11
	10:28:51	\$0.73
	<b>TOTAL</b>	<b>\$2.26</b>
<b>3</b>	10:29:19	\$1.10
	10:29:08	\$0.90
	10:28:57	\$1.50
	<b>TOTAL</b>	<b>\$3.50</b>



**Table 2 : Turnover Recorded after a Further 10 Seconds**

<b>EGD</b>	<b>Time of Read</b>	<b>Change in Turnover</b>
<b>1</b>	10:29:28	\$2.15
	10:29:20	\$4.35
	10:29:12	\$5.15
	10:29:04	\$3.45
	<b>TOTAL</b>	<b>\$15.10</b>
<b>2</b>	10:29:25	\$0.94
	10:29:18	\$0.36
	10:29:11	\$0.59
	10:29:04	\$0.47
	<b>TOTAL</b>	<b>\$2.36</b>
<b>3</b>	10:29:30	\$2.40
	10:29:19	\$1.10
	10:29:08	\$0.90
	<b>TOTAL</b>	<b>\$4.40</b>

5

**Table 3 : Discarded Turnover > 30 Seconds Old**

<b>EGD</b>	<b>Time of Read</b>	<b>Change in Turnover</b>
<b>1</b>	10:28:58	\$1.05
<b>2</b>	10:28:58	\$0.11
	10:28:51	\$0.73
<b>3</b>	10:28:57	\$1.50

**Table 4 : Example Scaling Factor Calculations**

Draw Time	EGD#	Total Turnover in Record Period	Draws/Record Period	Scaling Factor
10:29:20	1	\$14.00	3	467
	2	\$2.26	3	76
	3	\$3.50	3	117
10:29:30	1	\$15.10	3	504
	2	\$2.36	3	79
	3	\$4.40	3	147

5

**Table 5 : Variable Probability of Win per Draw per EGD**

Draw Time	EGD #	Scaling Factor	Fixed Base Probability	Variable Win Probability
10:29:20	1	467	0.0003%	0.1400%
	2	76	0.0003%	0.0228%
	3	117	0.0003%	0.0351%
10:29:30	1	504	0.0003%	0.1511%
	2	79	0.0003%	0.0237%
	3	147	0.0003%	0.0441%

**Table 6 : Win Band Size for Variable Probabilities with a maximum range of 0 - 4294967295**

Draw Time	EGD #	Variable Win Probability	Win Band Size
10:29:20	1	0.1400%	0 – 6012954
	2	0.0228%	0 – 979252
	3	0.0351%	0 – 1507533
10:29:30	1	0.1511%	0 – 6489694
	2	0.0237%	0 – 1017907
	3	0.0441%	0 – 1894080

5

**Table 7 : Assumptions and Desired Configuration of a Jackpot Pool**

No of EGDs	10
Average Daily Turnover per EGD	\$1500.00
Hours in a Trading Day	18
Reset Value of the Prize	\$50.00
Desired Maximum Value of the Prize	\$150.00
Average Increase to RTP% of the connected EGDs	3%
Turnover Sliding Window	30 Seconds
Draw Time	10 Seconds

**Table 8 : Operating Characteristics of this Embodiment**

Average Winning Value	\$100.00
Average Duration between wins	4 Hours
Win Probability	0.0003%
Pool Increment Rate	1.5%
Minimum of the Winning band for 0.0003% prob.	0
Maximum of the Winning band for 0.0003% prob.	12884
Minimum of the Failing band for 0.0003% prob.	12885
Maximum of the Failing band for 0.0003% prob.	4294967295

## CLAIMS:

1. A method of awarding a prize in a gaming system comprising at least one gaming machine, characterised in that the probability of each gaming machine winning the prize is dependent upon at least some of the amount wagered on that gaming machine during an elapsed period.
2. A method as claimed in claim 1 wherein the probability is related to the total wagered amount recorded during the elapsed period.
3. A method as claimed in claim 1 wherein the probability is related to the maximum amount wagered on a game during the elapsed period.
4. A method as claimed in claim 1, wherein the elapsed period is a rolling or sliding period of time.
5. A method as claimed in claim 1, including the step of conducting a series of prize draws and, prior to each prize draw, calculating the probability of each gaming machine winning that draw.
6. A method as claimed in claim 5, wherein the elapsed period is a predetermined period preceding each draw, further comprising the steps of recording amounts wagered on each gaming machine and calculating the probability of each gaming machine winning that draw from amount(s) recorded during the predetermined period.
7. A method as claimed in claim 6, wherein the draws are conducted at periodic intervals of time, the period between draws being no greater than the predetermined period.
8. A method as claimed in claim 7, wherein the winning probability for each gaming machine is calculated from the estimated amount wagered on that gaming machine during the period since the last draw, the estimated amount being calculated on a *pro rata* basis from the recorded amount of wagers during the predetermined period.
9. A method as claimed in claim 5, further comprising the step of awarding to a draw winning gaming machine a further game to determine the actual prize won.
10. A method as claimed in claim 9, wherein the time allowed for playing the further game is limited to a predetermined period.
11. A method as claimed in claim 9, wherein the prize is a jackpot or

one of a plurality of jackpots, the method further comprising the step of suspending the jackpot(s) until the determination of the further game.

12. A method as claimed in claim 1, wherein the prize is a jackpot pool.

5 13. A method as claimed in claim 12, wherein the jackpot pool comprises an initial amount and a proportion of the amount wagered on the gaming machine(s) since the jackpot pool was reset.

14. A method as claimed in claim 1, further comprising the step of displaying a graphical representation of the probability of the gaming  
10 machine(s) winning the prize.

15. A method as claimed in claim 14 wherein the gaming system includes a plurality of gaming machines, and the probabilities are displayed in relative format.

16. A method as claimed in claim 1, wherein each gaming machine  
15 is an electronic gaming device.

17. A gaming system comprising  
at least one gaming machine;  
control means connected to the gaming machine(s), the control means being adapted to conduct a series of prize draws in each of which  
20 each gaming machine has an opportunity to win a prize on a non-deterministic basis; and

means for determining the winning probability of each gaming machine in each prize draw,

characterised in that the probability of a said gaming machine  
25 winning a prize draw is dependent on at least some of the amount wagered on that gaming machine during an elapsed period.

18. A gaming system as claimed in claim 17 wherein the probability of a said gaming machine winning a prize draw is related to the total wagered amount recorded during the elapsed period for that gaming machine.

30 19. A gaming system as claimed in claim 17, wherein the elapsed period is a rolling or sliding predetermined period of time prior to each prize draw.

20. A gaming system as claimed in claim 19, wherein the control

means includes means for recording during the predetermined period amounts wagered on each gaming machine.

21. A gaming system as claimed in claim 17, wherein the control means includes a jackpot controller, and the prize is a progressive linked  
5 jackpot.

22. A gaming system as claimed in claim 17, wherein each gaming machine is an electronic gaming device.

23. A gaming system as claimed in claim 17, having display means to display a graphical representation of the probability of each gaming  
10 machine of winning the prize draw.

24. A gaming machine having  
means for effecting a prize draw to award a prize on a non-deterministic basis, and  
means for determining the probability of the gaming machine  
15 winning the prize,

characterised in that the probability of the gaming machine winning the prize is dependent on at least some of the amount wagered on the gaming machine during an elapsed period.

25. A gaming machine as claimed in claim 24, wherein the  
20 probability is related to the total wagered amount recorded during the elapsed period.

26. A gaming machine as claimed in claim 24 wherein the elapsed period is a sliding or rolling predetermined period prior to the prize draw.

27. A gaming machine as claimed in claim 26, further comprising  
25 means for recording during the predetermined period amounts wagered on the gaming machine.

28. A gaming machine as claimed in claim 24 having display means to present a graphical representation of the probability of winning the prize draw.




Figure 1.



2/4

Figure 2.






Figure 3.




4/4

Figure 4.



## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/AU00/00948

<b>A. CLASSIFICATION OF SUBJECT MATTER</b>												
Int. Cl. <sup>7</sup> : A63F 13/00												
According to International Patent Classification (IPC) or to both national classification and IPC												
<b>B. FIELDS SEARCHED</b>												
Minimum documentation searched (classification system followed by classification symbols) IPC: G06F 161:00, G07F 17/34, A63F 5/04, 9/22, 13/00, 13/12												
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched												
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPAT USPTO and IBM websites												
<b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>												
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.										
X	AU 47626/97 (I.G.T. Australia) 11 June 1998.	1-28										
A	WO 99/03078 (Aristocrat Leisure Industries) 21 January 1999.	1-28										
A	WO 96/24421 (Trump Taj Mahal Associates) 15 August 1996.	1-28										
A	US 5116055 (Mikohn, Inc.) 26 May 1992.	1-28										
<input type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex												
<p>* Special categories of cited documents:</p> <table border="0"> <tr> <td>"A" document defining the general state of the art which is not considered to be of particular relevance</td> <td>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>"E" earlier application or patent but published on or after the international filing date</td> <td>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>"O" document referring to an oral disclosure, use, exhibition or other means</td> <td>"&amp;" document member of the same patent family</td> </tr> <tr> <td>"P" document published prior to the international filing date but later than the priority date claimed</td> <td></td> </tr> </table>			"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family	"P" document published prior to the international filing date but later than the priority date claimed	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention											
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone											
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art											
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family											
"P" document published prior to the international filing date but later than the priority date claimed												
Date of the actual completion of the international search 28 September 2000		Date of mailing of the international search report - 6 OCT 2000										
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. (02) 6285 3929		Authorized officer  SEAN APPLGATE Telephone No : (02) 6283 2207										

**INTERNATIONAL SEARCH REPORT**  
Information on patent family members

International application No.  
**PCT/AU00/00948**

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report		Patent Family Member	
AU	47626/97	AU	721626
WO	9903078	—	AU 81994/98
WO	9624421	AU	49948/96 US 5564700
US	5116055	NONE	
END OF ANNEX			